

Cisco DDR2200 Residential Gateway

The Cisco DDR2200 residential gateway is optimized to deliver high-speed Internet, quality video content and VoIP to subscribers in an integrated, “no-new wires” complete home networking solution.

The DDR2200 was built to satisfy the most demanding service – video. Using our extensive video networking experience, it was developed and tested in the same laboratories that produce our IPTV set tops; naturally, the platform incorporates proven technologies that facilitate delivery of IPTV services.

Service providers save time and money in two ways: first, the DDR2200 requires no new wiring because HPNA technology provides home networking over existing coaxial wiring. Together with the 802.11g wireless environment, your subscribers will enjoy flexible multi-user video, data, and voice services support throughout the home.

Second, we’ve made subscribers self-sufficient. Self-installation is easy using the CD provided and our browser-based, Web Wizard interface. Monitoring and troubleshooting are intuitive with the easy-to-understand front-panel LEDs that show status and real-time data transmission activity. And the DDR2200 provides all this functionality in a single box, eliminating confusion and freeing space for other devices. The DDR2200 mounts easily on a desk or wall, wherever you need it.

Figure 1. Cisco DDR2200 Residential Gateway Front Panel (image may vary from actual product and specification)



T13270

Features

Leading-edge Technologies

- Integrated IP-over-coax HPNA 3.0 provides an exceptional “no-new wires” home networking solution, optimized for high speed delivery of time sensitive content such as video services
- Next-generation ADSL2+ bonded WAN interface speeds data downstream and supports multiple video streams
- Ethernet WAN interface for FTTH deployments
- Supports remote management of RG and attached devices (such as IP-STB) based on TR-069 specifications
- IGMP proxy and snooping capabilities facilitate effective video stream management

Design and Function

- Attractive compact design and versatile orientation stands vertically, lies flat on the desktop or shelf, and mounts easily on a wall
- Easy-to-read, front-mounted LED status indicators show real-time data transmission activity
- Rugged electronic components improve long-term reliability

Robust QoS Platform

- IP QoS mechanisms are fully supported to ensure robust video quality
- QoS support extends to the HPNA 3.0 home network

Connections

- Bridged 10/100BaseT auto-sensing / auto-MDIX Ethernet port, and USB 1.1 data port
- Integrated 4-port Ethernet switch for easy connection to PCs and other devices
- USB PC interface (client) to connect to PC
- HPNA 3.0 bridge and router functionality, and integrated firewall support
- 802.11g wireless interface

Figure 2. Cisco DDR2200 Residential Gateway Back Panel (image may vary from actual product and specification)



Table 1. Ordering Information

Part Number	Description
4015283	DDR2200 ADSL2+ Residential Gateway

Contact your Sales Representative for product availability in your area.



Cisco, Cisco Systems, the Cisco logo, the Cisco Systems logo, and Scientific Atlanta are registered trademarks or trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries.

All other trademarks mentioned in this document are the property of their respective owners.

Specifications and product availability are subject to change without notice.

© 2008 Cisco Systems, Inc. All rights reserved.

Scientific Atlanta, A Cisco Company.
1-800-722-2009 or 770-236-6900
www.scientificatlanta.com

Part Number 7013580 Rev A
January 2008